

IN THE CLAIMS

The following is a complete list of the claims now pending; this listing replaces all earlier versions and listings of the claims.

Sub 1
B1 1. (Previously Amended) An apparatus for processing image data defining a plurality of input images of a changing scene recorded at different times to generate data for defining a sequence of images conveying an evolving representation of the scene from a fixed viewing position and direction between the times at which the first and last input images were recorded, the apparatus comprising:

an image registering unit, arranged to register the input images so that the registered input images represent the scene from the same viewing position and direction relative to the scene; and

a pixel value interpolator, arranged to interpolate between pixel values of the registered input images to generate pixel values for interpolated images from the same viewing position and direction relative to the scene for the image sequence.

2. (Currently Amended) An apparatus according to claim 1, wherein said image registering unit comprises:

a transformation calculator, arranged to calculate transformations to transform the input images; and

a transformation applicator, arranged to use the transformations calculated by said transformation calculator to register the input images.

3. (Currently Amended) An apparatus according to claim 2, wherein said transformation calculator comprises a matching unit, arranged to match features in the input images and a calculator, arranged to calculate the transformations on the basis of the matched features.

4. (Currently Amended) An apparatus according to claim 2, wherein said transformation calculator comprises an input-signal processor, arranged to process processing signals input by a user defining matching features in the input images to calculate the transformations.

5. (Previously Amended) An apparatus according to claim 1, wherein said pixel value interpolator is arranged to generate the pixel values for the interpolated images using linear interpolation.

6. (Previously Amended) An apparatus according to claim 1, wherein said pixel value interpolator is arranged to generate pixel values for interpolated images to be displayed in the image sequence in which each input image is to be displayed a plurality of consecutive times.

7. (Previously Amended) An apparatus according to claim 1, further comprising an overlap detector, arranged to process input images registered by said image

registering unit to determine an area of overlap thereof, and wherein said pixel value interpolator is arranged to interpolate between the pixel values for pixels in the area of overlap only.

8. (Currently Amended) An image processing apparatus for generating data for a time-lapse sequence of images of a changing scene from the same viewing position and direction relative to the scene, comprising:

61 a transformation calculator, ~~for~~ arranged to calculate transformations to ~~registered~~ register input images recorded from at least one of different viewing positions and different viewing directions so that the registered input images represent the scene from the same viewing position and direction relative to the scene; and

an image data generator, arranged to use the input images and the calculated transformations to generate data for images of the scene from the same viewing position and direction to be displayed in the sequence.

9. (Previously Amended) A method of processing image data defining a plurality of input images of a changing scene recorded at different times to generate data for defining a sequence of images conveying an evolving representation of the scene from a fixed viewing position and direction between times at which the first and last input images were recorded, said method comprising the steps of:

registering the input images so that the registered input images represent the scene from the same viewing position and direction relative to the scene; and

interpolating between pixel values of the registered input images to generate pixel values for interpolated images from the same viewing position and direction relative to the scene for the image sequence.

10. (Previously Amended) A method according to claim 9, wherein said registering step comprises:

calculating transformations to transform the input images; and
using the transformations calculated in the transformation calculating

step to register the input images.

11. (Currently Amended) A method according to claim 10, wherein, in said ~~calculating transformation~~ calculating step, features in the input images are matched and the transformations are calculated on the basis of the matched features.

12. (Currently Amended) A method according to claim 10, wherein, in said ~~calculating transformation~~ calculating step, signals input by a user defining matching features in the input images are processed to calculate the transformations.

13. (Previously Amended) A method according to claim 9, wherein, in said interpolating step, the pixel values for the interpolated images are generated using linear interpolation.

14. (Previously Amended) A method according to claim 9, wherein, in said interpolating step, pixel values are generated for interpolated images to be displayed in an image sequence in which each input image is to be displayed a plurality of consecutive times.

15. (Previously Amended) A method according to claim 9, further comprising the step of processing registered input images to determine an area of overlap thereof, and wherein, in said interpolating step, the pixel values for the interpolated images are generated for the area of overlap only.

16. (Original) A method according to claim 9, further comprising the step of generating a signal conveying data from which the sequence of images can be generated.

17. (Original) A method according to claim 16, wherein the signal comprises image data.

18. (Original) A method according to claim 16, further comprising the step of recording the signal either directly or indirectly.

19. (Original) A method according to claim 9, further comprising the step of displaying the sequence of images.

61

20. (Previously Amended) An image processing method for generating data for a time-lapse sequence of images of a scene from the same viewing position and direction relative to the scene, said method comprising the steps of:

calculating transformations to register input images recorded from at least of one of different viewing positions and different viewing directions so that the registered input images represent the scene from the same viewing position and direction relative to the scene; and

generating, using the input images and the calculated transformations, data for images of the scene from the same viewing position and direction to be displayed in the sequence.

21. (Previously Amended) A storage device storing computer-useable instructions for causing a programmable processing apparatus to become operable to perform a method according to any one of claims 9 to 20.

22. (Previously Amended) A signal conveying computer-useable instructions for causing a programmable processing apparatus to become operable to perform a method according to any one of claims 9 to 20.

23. (Currently Amended) An apparatus for processing image data defining a plurality of input images of a changing scene recorded at different times to generate data for defining a sequence of images conveying an evolving representation of the scene from a fixed

viewing position and direction between the times at which the first and last input images were recorded, the apparatus comprising:

registration means; for registering the input images so that the registered input images represent the scene from the same viewing position and direction relative to the scene; and

interpolation means for interpolating between the pixel values of the registered input images to generate pixel values for interpolated images from the same viewing position and direction relative to the scene for the image sequence.

19 24. (Currently Amended) An image processing apparatus for generating data for a time-lapse sequence of images of a changing scene from the same viewing position and direction relative to the scene, comprising:

~~calculating transformation~~ calculating means for calculating transformations to register input images recorded from at least one of different viewing positions and different viewing directions so that the registered input images represent the scene from the same viewing position and direction relative to the scene; and

~~generating means for, using the input images and the calculated transformations, to generate~~ generating data for images of the scene from the same viewing position and direction to be displayed in the sequence using the input images and the calculated transformations.